INDEX

TO

GENERAL RADIO EXPERIMENTER

VOLUME 32

JUNE, 1957 through DECEMBER, 1958

INDEX BY TITLE

AIR CAPACITORS, TYPE 1421 VARIABLE (November, 1958)

AMPLITUDE MODULATION MONITOR, TYPE 1931-B (April, 1958)

AUTOMATIC-BALANCING CAPACITANCE BRIDGE, AN (November, 1958)

AUTOMATIC TESTING OF PRINTED-CIRCUIT COMPONENTS FOR THE IBM SAGE COMPUTER (November, 1957)

AUTOTRANSFORMER, THE TYPE W20 — A NEW 20-AMPERE VARIAC® (August-September, 1958)

BRIDGE — AN INSTRUMENT DESIGNED TO CALIBRATE CAPACITIVE FUEL-GAGE TESTERS, TYPE P-582 CAPACITANCE (Henry P. Hall: February, 1958)

BRIDGE — 60/120-CYCLE MODEL NOW STANDARD ITEM, CAPACITANCE TEST (February, 1958)

BROADCAST MONITORS ADD CONVENIENCE IN OPERATION AND MAINTENANCE, NEW (April, 1958)

CABLE CHARACTERISTICS, THE MEASUREMENT OF (W. R. Thurston: May, June, July, August, December, 1957)

CANADIAN OFFICE, NEW (August, 1957)

CAPACITANCE BRIDGE, AN AUTOMATIC-BALANCING (November, 1958)

CAPACITANCE BRIDGE — AN INSTRUMENT DESIGNED TO CALIBRATE CAPACITIVE FUEL-GAGE TESTERS, TYPE P-582 (Henry P. Hall: February, 1958)

CAPACITANCE MEASUREMENTS AT ONE MEGACYCLE, COMPLETE ASSEMBLY FOR (November, 1958)

CAPACITANCE TEST BRIDGE — 60/120-CYCLE MODEL NOW STANDARD ITEM (February, 1958)

CAPACITANCE UNITS, TYPE 980 DECADE (October, 1957)

CAPACITOR, A THREE-TERMINAL PRECISION (I. G. Easton: October, 1958)

CAPACITOR, TYPE 1419-K DECADE (October, 1957)

CAPACITORS, MORE NEW (October, 1957)

CAPACITORS, TYPE 1409, NEW, SILVERED-MICA STANDARD (Ivan G. Easton, P. K. McElroy: July, 1957)

CHAIRMAN RETIRES (July, 1957)

COAXIAL ELEMENTS, TRANSISTOR TESTING WITH TYPE 874 (October, 1957)

COMPLETE ASSEMBLY FOR CAPACITANCE MEASUREMENTS AT ONE MEGACYCLE (November, 1958)

CONCORD PLANT, OPEN HOUSE AT NEW (May, 1958)

DECADE CAPACITANCE UNITS, TYPE 980 (October, 1957)

DECADE CAPACITOR, TYPE 1419-K (October, 1957)

DECADE INDUCTORS, IMPROVEMENTS IN (May, 1958)

DELIVERY, 2-WEEK, ON ALL GENERAL RADIO MONITORS (FCC Type Approved) (December, 1958)

DIELECTRIC MEASURING LINE, THE TYPE 874-LM (May, 1958)

DIELECTRIC PROPERTIES IN THE 200-5000 MC RANGE, THE MEASUREMENT OF (May, 1958)

DISTRICT OFFICE PERSONNEL (November, 1957)

EQUIPMENT LEASING (Robert B. Richmond: August-September, 1958)

EQUIPMENT LEASING (May, 1958)

EXHIBIT CALENDAR (August-September, 1958)

FCC TYPE APPROVAL FOR GENERAL RADIO TELEVISION TRANSMITTER MONITORS (April, 1958)

FREQUENCY MULTIPLIERS, NEW STANDARD (Frank D. Lewis: July, 1958)

Frequency Standard, The Type P-583 Emergency Power Supply for the Type 1100-AP Primary (November, 1957)

Germany, GR Representative Appointed for (September, 1957)

GR Representation for Hawaii (January, 1958)

GR Representative for Germany appointed (September, 1957)

Hawaii, GR Representation for (January, 1958)

High-Power Variac® Autotransformer Assemblies (April, 1958)

High-Speed Sound-Level Recorder (October, 1957)

How to Kill Time — Accurately (Type 1392-A Time-Delay Generator) (R. W. Frank: December, 1958)

Impact-Noise Measurement, Short Decay-Time (July, 1958)

Improved Performance Plus a New Look for the Sound-Level Meter (E. E. Gross: October, 1958)

Improvements in Decade Inductors (May, 1958)

Improving the Accuracy of Comparison Between Radio and Local Time Standards (Part of Standard Time Signals article by Frank D. Lewis: June, 1958)

Inductors, Improvements in Decade (May, 1958)

IRE — 1958 Radio Engineering Show — New York Coliseum, March 24-27 (February, 1958)

Leasing, Equipment (Robert B. Richmond: August-September, 1958)

Leasing, Equipment (May, 1958)

Locking System for Unit Instruments, New (January, 1958)

Measurement of Cable Characteristics, The (W. R. Thurston: May, June, July, August, December, 1957)

Measurement of Dielectric Properties in the 200-5000 Mc Range, The (May, 1958)

Midwest Office, The New (W. M. Ihde: January, 1958)

Modulation Monitor, Type 1931-B Amplitude (April, 1958)

Monitor, Type 1931-B Amplitude Modulation (April, 1958)

Monitors, FCC Type Approval for General Radio Television Transmitter (April, 1958)

Monitors Add Convenience in Operation and Maintenance, New Broadcast (April, 1958)

More New Capacitors (October, 1957)

Motor Drive for V10, V20 Variacs (August, 1957)

NEREM — The New England Radio Electronics Meeting (October, 1958)

New Broadcast Monitors Add Convenience in Operation and Maintenance (April, 1958)

New Combination 3-Wire and 2-Wire Power Receptacle (July, 1957)

New Locking System for Unit Instruments (January, 1958)

New, Silvered-Mica, Standard Capacitors, Type 1409 (Ivan G. Easton, P. K. McElroy: July, 1957)

New Standard Frequency Multipliers (Frank D. Lewis: July, 1958)

New 1-Mc Unit Oscillator, A (November, 1958)

Observatour, Technical Training (November, 1957)

On the Tracking of Satellites (Arnold Peterson: December, 1957)

Open House at New Concord Plant (May, 1958)

Oscillator, Type 1210-C Unit R-C (April, 1958)

Oscillator, Type 1214-D Unit (July, 1958)

Oscillator, 180 to 600 Mc, A New Unit (January, 1958)

Patent Office Sponsors Exhibit (October, 1958)

Phase-Angle Measurement on Rheostats (H. P. Hall: January, 1958)

Phase Angle of Potentiometers Used as Rheostats, The (H. P. Hall: September, 1957)

Potentiometers Used as Rheostats, The Phase Angle of (H. P. Hall: September, 1957)

Power Receptacle, New Combination 3-Wire and 2-Wire (July, 1957)

Power Supply for the Type 1100-AP Primary Frequency Standard, The Type P-583 Emergency (November, 1957)

Power Supply, Type 1201-B Unit Regulated (August-September, 1958)

Power Supply, Type 1203-B Unit (July, 1957)

Precision Capacitor, A Three-Terminal (I. G. Easton: October, 1958)

Pulser, Varying the Rise Time of the Unit (October, 1957)

R-C Oscillator, Type 1210-C Unit (April, 1958)

Recorder, High-Speed Sound-Level (October, 1957)

Reducing Transformer Noise with the Sound-Level Meter (October, 1957)

Regulated Power Supply, Type 1201-B Unit (August-September, 1958)

Rheostats, Phase-Angle Measurement on (H. P. Hall: January, 1958)

Satellites, On the Tracking of (Arnold Peterson: December, 1957)

Science for the Blind (January, 1958)

Short Decay-Time Impact-Noise Measurement (July, 1958)

Silvered-Mica, Standard Capacitors, Type 1409, New (Ivan G. Easton, P. K. McElroy: July 1957)

Smithsonian Institution to Collect Early Communications Equipment (November, 1958)

Sound-Level Meter, Improved Performance Plus a New Look for the (E. E. Gross: October, 1958)

Standard Capacitors, Type 1409, New, Silvered-Mica (Ivan G. Easton, P. K. McElroy: July, 1957)

Standard Frequency Multipliers, New (Frank D. Lewis: July, 1958)

Standard Time Signals (Frank D. Lewis: June, 1958)

Storage Box for Type 1021-P Oscillator Units (August, 1957)

Switch, The Type 980 (October, 1957)

Technical Training Observatour (November, 1957)

Television Transmitter Monitors, FCC Type Approval for General Radio (April, 1958)

Three-Terminal Precision Capacitor, A (I. G. Easton: October, 1958)

Time Signals, Standard (Frank D. Lewis: June, 1958)

Tracking of Satellites, On the (Arnold Peterson: December, 1957)

Transfer-Function Meter for the VHF-UHF Range (W. R. Thurston, R. A. Soderman: March, 1958)

Transistor Testing with Type 874 Coaxial Elements (October, 1957)

2-Week Delivery on All General Radio Monitors (FCC Type Approved) (December, 1958)

Type P-582 Capacitance Bridge — An Instrument Designed to Calibrate Capacitive Fuel-Gage Testers, The (Henry P. Hall: February, 1958)

Type P-583 Emergency Power Supply for the Type 1100-AP Primary Frequency Standard, The (November, 1957)

Type W20 — A New 20-Ampere Variac® Autotransformer, The (August-September, 1958)

Type 874 Coaxial Elements, Transistor Testing with (October, 1957)

Type 874-LM Dielectric Measuring Line, The (May, 1958)

Type 980 Decade Capacitance Units, The (October (1957)

Type 980 Switch, The (October, 1957)

Type 1100-AP Primary Frequency Standard, The Type P-583 Emergency Power Supply for the (November, 1957)

Type 1201-B Unit Regulated Power Supply (August-September, 1958)

Type 1203-B Unit Power Supply (July, 1957)

Type 1210-C Unit R-C Oscillator (April, 1958)

Type 1214-D Unit Oscillator (July, 1958)
Type 1419-K Decade Capacitor (October, 1957)
Type 1421 Variable Air Capacitors (November, 1958)
Type 1931-B Amplitude Modulation Monitor (April, 1958)
U-L Approved Variacs (September, 1957)
Unit Instruments, New Locking System for (January, 1958)
Unit Oscillator, A New, 1-Mc (November, 1958)
Unit Oscillator, Type 1214-D (July, 1958)
Unit Oscillator, 180 to 600 Mc, A New (January, 1958)
Unit Power Supply, Type 1203-B (July, 1957)
Unit Pulser, Varying the Rise Time of the (October, 1957)
Unit Regulated Power Supply, Type 1201-B (August-September, 1958)
Variable Air Capacitors, Type 1421 (November, 1958)
Variac® Autotransformer Assemblies, High-Power (April, 1958)
Variac® Autotransformer, The Type W20 — A New 20-Ampere (August-September, 1958)
Variac® Used in the Jetcal Analyzer and Tester (July, 1958)
Variacs, Motor Drive for V10, V20 (August, 1957)
Variacs, U-L Approved (September, 1957)
Varying the Rise Time of the Unit Pulser (October, 1957)
VHF-UHF Range, Transfer-Function Meter for the (W. R. Thurston, R. A. Soderman: March, 1958)

INDEX BY AUTHOR

Easton, I. G.
A Three-Terminal Precision Capacitor (October, 1958)
New, Silvered-Mica, Standard Capacitors, Type 1409 (July, 1957)

Frank, R. W.
How to Kill Time—Accurately (Type 1392-A Time-Delay Generator) (December, 1958)

Gross, E. E.
Improved Performance Plus a New Look for the Sound-Level Meter (October, 1958)

Hall, H. P.
Phase-Angle Measurement on Rheostats (January, 1958)
The Phase Angle of Potentiometers Used as Rheostats (September, 1957)
The Type P-582 Capacitance Bridge — An Instrument Designed to Calibrate Capacitive Fuel-Gage Testers (February, 1958)

Ihde, W. M.
The New Midwest Office (January, 1958)

Lewis, F. D.
New Standard Frequency Multipliers (July, 1958)
Standard Time Signals (June, 1958)

McElroy, P. K.
New, Silvered-Mica, Standard Capacitors, Type 1409 (July, 1957)

Peterson, A. P. G.
On the Tracking of Satellites (December, 1957)

Richmond, R. B.
Equipment Leasing (August-September, 1958)

Soderman, R. A.
A Transfer-Function Meter for the VHF-UHF Range (March, 1958)

Thurston, W. R.
A Transfer-Function Meter for the VHF-UHF Range (March, 1958)
The Measurement of Cable Characteristics (May, June, July, August, December, 1957)

Unsigned
Automatic-Balancing Capacitance Bridge, An (November, 1958)
Automatic Testing of Printed-Circuit Components for the IBM Sage Computer (November, 1957)
Capacitance Test Bridge — 60/120-Cycle Model Now Standard Item (February, 1958)
Chairman Retires (July, 1957)
Complete Assembly for Capacitance Measurements at One Megacycle (November, 1958)
District Office Personnel (November, 1957)
Equipment Leasing (May, 1958)
Exhibit Calendar (August-September, 1958)
FCC Type Approval for General Radio Television Transmitter Monitors (April, 1958)
GR Representation for Hawaii (January, 1958)
GR Representative for Germany Appointed (September, 1957)
High-Power Variac® Autotransformer Assemblies (April, 1958)
High-Speed Sound-Level Recorder (October, 1957)
Improvements in Decade Inductors (May, 1958)
IRE — 1958 Radio Engineering Show — New York Coliseum, March 24-27 (February, 1958)
Measurement of Dielectric Properties in the 200-5000 Mc Range, The (May, 1958)
More New Capacitors (October, 1957)
Motor Drive for V10, V20 Variacs (August, 1957)
NEREM — The New England Radio Electronics Meeting (October, 1958)
New Broadcast Monitors Add Convenience in Operation and Maintenance (April, 1958)
New Canadian Office (August, 1957)
New Combination 3-Wire and 2-Wire Power Receptacle (July, 1957)
New Locking System for Unit Instruments (January, 1958)
New Unit Oscillator, 180 to 600 Mc, A (January, 1958)
New, 1-Mc Unit Oscillator, A (November, 1958)
Open House at New Concord Plant (May, 1958)
Patent Office Sponsors Exhibit (October, 1958)
Reducing Transformer Noise with the Sound-Level Meter (October, 1957)
Science for the Blind (January, 1958)
Short Decay-Time Impact-Noise Measurement (July, 1958)
Smithsonian Institution to Collect Early Communications Equipment (November, 1958)
Storage Box for Type 1021-P Oscillator Units (August, 1957)
Technical Training Observatour (November, 1957)
Transistor Testing with Type 874 Coaxial Elements (October, 1957)
2-Week Delivery on All General Radio Monitors (FCC Type Approved) (December, 1958)
Type P-583 Emergency Power Supply for the Type 1100-AP Primary Frequency Standard, The (November, 1957)
Type W20 — A New 20-Ampere Variac® Autotransformer, The (August-September, 1958)
Type 980 Decade Capacitance Units, The (October, 1957)
Type 980 Switch, The (October, 1957)
Type 1201-B Unit Regulated Power Supply (August-September, 1958)
Type 1203-B Unit Power Supply (July, 1957)
Type 1210-C Unit R-C Oscillator (April, 1958)

Type 1214-D Unit Oscillator (July, 1958)
Type 1419-K Decade Capacitor (October, 1957)
Type 1421 Variable Air Capacitors (November, 1958)
Type 1931-B Amplitude Modulation Monitor (April, 1958)
U-L Approved Variacs (September, 1957)
Variac® Used in the Jetcal Analyzer and Tester (July, 1958)
Varying the Rise Time of the Unit Pulser (October, 1957)

☆

INDEX BY INSTRUMENT TYPE NUMBER

TYPE V10 VARIAC®
Motor Drive for V10, V20 Variacs (August, 1957)

TYPE V20 VARIAC®
Motor Drive for V10, V20 Variacs (August, 1957)

TYPE V20 VARIAC®
Variac® Used in the Jetcal Analyzer and Tester (July, 1958)

TYPE W20 VARIAC®
The Type W20 — A New 20-Ampere Variac® Autotransformer (August-September, 1958)

TYPE W50G AND W50HG VARIACS
High-Power Variac® Autotransformer Assemblies (April, 1958)

TYPE 109-A 3-WIRE RECEPTACLE
New Combination 3-Wire and 2-Wire Power Receptacle (July, 1957)

TYPE 505 CAPACITORS
More New Capacitors (October, 1957)

TYPE P-582 CAPACITANCE BRIDGE
An Instrument Designed to Calibrate Capacitive Fuel-Gage Testers (Henry P. Hall: February, 1958)

TYPE P-583 EMERGENCY POWER SUPPLY
The Type P-583 Emergency Power Supply for the Type 1100-AP Primary Frequency Standard (November, 1957)

TYPE 722-CB PRECISION CAPACITOR
A Three-Terminal Precision Capacitor (I. G. Easton: October, 1958)

TRANSISTOR TESTING WITH TYPE 874 COAXIAL ELEMENTS (October, 1957)

TYPE 874-LM DIELECTRIC MEASURING LINE
The Measurement of Dielectric Properties in the 200-5000 Mc Range (May, 1958)

TYPE 940 DECADE INDUCTANCE UNITS
Improvements in Decade Inductors (May, 1958)

TYPE 970 POTENTIOMETERS
The Phase Angle of Potentiometers Used as Rheostats (H. P. Hall: September, 1957)
Phase-Angle Measurement on Rheostats (H. P. Hall: January, 1958)

TYPE 980 DECADE CAPACITANCE UNITS (October, 1957)

TYPE 980 SWITCH (October, 1957)

TYPE 1021-P1 STORAGE BOX
Storage Box for Type 1021-P1 Oscillator Units (August, 1957)

TYPE 1100-AP PRIMARY FREQUENCY STANDARD
The Type P-583 Emergency Power Supply for the Type 1100-AP Primary Frequency Standard (November, 1957)
Standard Time Signals (Frank D. Lewis: June, 1958)

TYPE 1105-A FREQUENCY MEASURING EQUIPMENT
Standard Time Signals (Frank D. Lewis: June, 1958)

TYPE 1112 STANDARD FREQUENCY MULTIPLIERS
New Standard Frequency Multipliers (Frank D. Lewis: July, 1958)

TYPE 1181-B FREQUENCY DEVIATION MONITOR
New Broadcast Monitors Add Convenience in Operation and Maintenance (April, 1958)

TYPE 1181-BH FREQUENCY DEVIATION MONITOR
New Broadcast Monitors Add Convenience in Operation and Maintenance (April, 1958)

TYPE 1181-BT COLOR SUBCARRIER MONITOR
New Broadcast Monitors Add Convenience in Operation and Maintenance (April, 1958)

TYPE 1183-T-A TELEVISION TRANSMITTER MONITOR
FCC Type Approval for General Radio Television Transmitter Monitors (April, 1958)

TYPE 1184-A-A TELEVISION TRANSMITTER MONITOR
FCC Type Approval for General Radio Television Transmitter Monitors (April, 1958)

TYPE 1201-B UNIT REGULATED POWER SUPPLY
(August-September, 1958)

TYPE 1203-B UNIT POWER SUPPLY (July, 1957)

TYPE 1209-BL UNIT OSCILLATOR
A New Unit Oscillator, 180 to 600 Mc (January, 1958)

TYPE 1210-C UNIT R-C OSCILLATOR (April, 1958)

TYPE 1214-AS2 UNIT OSCILLATOR
Capacitance Test Bridge, 60/120-Cycle Model Now Standard Item (February, 1958)
Type 1214-D Unit Oscillator (July, 1958)

TYPE 1214-D UNIT OSCILLATOR (July, 1958)

TYPE 1214-M UNIT OSCILLATOR
A New, 1-Mc Unit Oscillator (November, 1958)

TYPE 1392-A TIME-DELAY GENERATOR
How to Kill Time — Accurately (R. W. Frank: December, 1958)

TYPE 1409 STANDARD CAPACITORS
New, Silvered-Mica, Standard Capacitors, Type 1409 (Ivan G. Easton, P. K. McElroy: July, 1957)

TYPE 1419-K DECADE CAPACITOR (October, 1957)

TYPE 1421 VARIABLE AIR CAPACITORS
(November, 1958)

TYPE 1490 DECADE INDUCTORS
Improvements in Decade Inductors (May, 1958)

TYPE 1551-B SOUND-LEVEL METER
Improved Performance Plus a New Look for the Sound-Level Meter (E. E. Gross: October, 1958)

TYPE 1556-A IMPACT-NOISE ANALYZER
Short Decay-Time Impact-Noise Measurement (July, 1958)

TYPE 1605-A IMPEDANCE COMPARATOR
The Phase Angle of Potentiometers Used as Rheostats (H. P. Hall: September, 1957)
Phase-Angle Measurement on Rheostats (H. P. Hall: January, 1958)

TYPE 1607-A TRANSFER-FUNCTION METER
A Transfer-Function Meter for the VHF-UHF Range (W. R. Thurston, R. A. Soderman: March, 1958)

TYPE 1607-P101 TRANSISTOR MOUNT
A Transfer-Function Meter for the VHF-UHF Range (W. R. Thurston, R. A. Soderman: March, 1958)

TYPE 1607-P201 TUBE MOUNT
A Transfer-Function Meter for the VHF-UHF Range (W. R. Thurston, R. A. Soderman: March, 1958)

TYPE 1610-AH CAPACITANCE MEASURING ASSEMBLY
Complete Assembly for Capacitance Measurements at One Megacycle (November, 1958)

TYPE 1611-B CAPACITANCE TEST BRIDGE
60/120-Cycle Model Now Standard Item (February, 1958)

TYPE 1671-A BASIC COAXIAL CABLE ATTENUATION MEASURING KIT
The Measurement of Cable Characteristics (Part V) (W. R. Thurston: December, 1957)

TYPE 1671-A2 SUPPLEMENTARY KIT FOR MEASURING COAXIAL CABLE Z_0, v, AND C
The Measurement of Cable Characteristics (Part V) (W. R. Thurston: December, 1957)

TYPE 1671-A3 SUPPLEMENTARY KIT FOR MEASURING BALANCED, TWIN-CONDUCTOR CABLES
The Measurement of Cable Characteristics (Part V) (W. R. Thurston: December, 1957)

TYPE 1931-B AMPLITUDE MODULATION MONITOR
(April, 1958)

TYPE 1931-P5 EXTRA TUNING COILS, 0.5 TO 8 Mc
Type 1931-B Amplitude Modulation Monitor (April, 1958)

TYPE 1931-P6 EXTRA TUNING COILS, 3 TO 60 Mc
Type 1931-B Amplitude Modulation Monitor (April, 1958)

Printed in U. S. A.